

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4	(map\$5 near4 if-conversion ) and (predicat\$3 near4 (execution or instruction or optimi\$5 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:01
S2	6	("5239663"   "5649135"   "5650936"   "5652835"   "5694577"   "5696956").PN.	USPAT	OR	ON	2004/03/20 12:20
S3	3	"5943499".URPN.	USPAT	OR	ON	2004/03/20 12:40
S4	49	(optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:06
S5	44	((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation))) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:06
S6	57	(optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:06
S7	48	((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:21
S8	5	((((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code))) and (@ad<="20010207" or @rlad<="20010207"))) and (if-conversion)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:15
S9	11	(speculation or if-convers\$3 or compensation) and (partial\$3 adj2 ( predicat\$3 near5 ( execution or code or instruction or operation)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:41

S10	8	((speculation or if-convers\$3 or compensation) and (partial\$3 adj2 ( predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:37
S11	5	(interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:29
S12	4	((interpretation and compensation and speculation) and (predicat\$5 near4 (execution or code or instruction and operation or statement))) and (@ad<="20010207" or @rlad<="20010207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:35
S13	27	(( interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5). ab.) and "717"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:37
S14	20	(( interpretation near8 optimi\$5) or (interpret\$6 near8 optimi\$5). ab.) and "717"/\$) and (@ad<="20010207" or @rlad<="20010207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:41
S15	575	(speculation or compensation or interpret\$5) and (if-convers\$3 or ( predicat\$3 near5 ( execution or code or instruction or operation))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:41
S16	452	((speculation or compensation or interpret\$5) and (if-convers\$3 or ( predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 09:35
S17	25	((speculation or compensation or interpret\$5) and (if-convers\$3 or ( predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207")) and ((optimi\$5 or reduc\$5 or replac\$4 or minimi\$5 or eliminat\$4) near3 (predicat\$3 near2 (instruction or statement or execution or operation or code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 11:50

S18	1	((interpretation and compensation) same optimi\$4) and "717"/\$ and predicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:44
S19	10	(interpretation and compensation) and "717"/\$ and predicat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 13:45
S20	9	((interpretation and compensation) and "717"/\$ and predicat\$4) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 15:32
S21	7	("5632023"   "5758051"   "5799179"   "5901308"   "5999738"   "6260189"   "6442679").PN.	USPAT	OR	ON	2004/03/20 14:07
S22	6	(Schlansker and Johnson).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 15:31
S23	5	"5920716".URPN.	USPAT	OR	ON	2004/03/20 14:21
S24	7	("5920716"   "5937195"   "6009512"   "6157996"   "6260190"   "6282708"   "6594824").PN.	USPAT	OR	ON	2004/03/20 14:24
S25	14	(compensation near2 code) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 15:41
S26	11	((compensation near2 code) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$)) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 15:41
S27	87	(interpretation) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 15:41
S28	72	((interpretation) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$)) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:25

S29	1	interpretation same ((predicated adj2 execution) or (predicat\$3 near5 guard))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:22
S30	38	(avoid\$4 or replac\$4 or eliminat\$4) near6 ((predicat\$3 near2 execution) or predication)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:25
S31	30	((avoid\$4 or replac\$4 or eliminat\$4) near6 ((predicat\$3 near2 execution) or predication)) and (@ad<="20010207" or @rlad<="20010207"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:48
S32	10	((avoid\$4 or replac\$4 or eliminat\$4) near6 ((predicat\$3 near2 execution) or predication)) and (@ad<="20010207" or @rlad<="20010207")) and ((avoid\$4 or replac\$4 or eliminat\$4) adj6 ((predicat\$3 near2 execution) or predication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:29
S33	3	predication near3 ( hazards or fault or misprediction or interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:33
S34	2	"6260189".URPN.	USPAT	OR	ON	2004/03/20 16:32
S35	2	predication near3 (penalty or pitfall)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:34
S36	33	((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207")) and ((interpretation) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:42

S37	3	(((((speculation or compensation or interpret\$5) and (if-convers\$3 or ( predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207")) and ((interpretation) and schedul\$4 and predicat\$5 and ("717"/\$ or "711"/\$ or "712"/\$))) and if-conversion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:47
S38	16	if-conversion and predicat\$3 and speculation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/20 16:47
S39	10	(if-conversion and predicat\$3 and speculation) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:08
S40	5791	((717/2,6,5,9,140-161) or (712/207-219,234,239) or (714/2)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/22 08:51
S41	0	("717"/\$ or "714"/\$ o4 "711"/\$ or "712"/\$) and ((reduc\$4 or minimi\$6 or obviat\$4 or eliminat\$4 or optimi\$6 or remov\$4) near3 (use adj3 predicate) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 09:33
S42	166	("717"/\$ or "714"/\$ o4 "711"/\$ or "712"/\$) and ((reduc\$4 or minimi\$6 or obviat\$4 or eliminat\$4 or optimi\$6 or remov\$4) near5 (predicat\$4 or (predicate adj statement)) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 09:34
S43	494	((speculation or compensation or interpret\$5) and (if-convers\$3 or ( predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 09:35

S44	39	((("717"/\$ or "714"/\$ o4 "711"/\$ or "712"/\$) and ((reduc\$4 or minimi\$6 or obviat\$4 or eliminat\$4 or optimi\$6 or remov\$4) near5 (predicat\$4 or (predicate adj statement)) )) and (((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207") )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 11:24
S45	9	((("717"/\$ or "714"/\$ o4 "711"/\$ or "712"/\$) and ((reduc\$4 or minimi\$6 or obviat\$4 or eliminat\$4 or optimi\$6 or remov\$4) near5 (predicat\$4 or (predicate adj statement)) )) and (((speculation or compensation or interpret\$5) and (if-convers\$3 or (predicat\$3 near5 ( execution or code or instruction or operation)))) and (@ad<="20010207" or @rlad<="20010207") )) and ((pre-empt\$5 or replac\$5 or substitu\$6 or swap\$5) adj3 ( predicat\$5 or (predicated adj2 execution)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 11:45
S46	7	(replac\$4 or substitut\$5 or chang\$4 or modif\$4) adj ( (predicat\$3 adj2 (statement or expresssion or instruction or execution)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 11:49
S47	5	((replac\$4 or substitut\$5 or chang\$4 or modif\$4) adj ( (predicat\$3 adj2 (statement or expresssion or instruction or execution)))) and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/13 11:50
S61	17	(predicate adj2 (flag value code)) near8 ((writ\$5 written stor\$4 record\$4 read) adj3 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:11
S62	8	S61 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:11

S63	269	(predicate near4 register) and (("if-conversion" predicat\$4) near8 ( transform\$6 conver\$5 code execution instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:11
S64	194	S63 and (@ad<="20010207" or @rlad<="20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:11
S65	9	(predicate adj2 (flag value code)) and S64 and if-conversion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/16 16:11